

:: FERTILIZER SPREADERS

Professional product range



High performance for professionals

AGREX

Synonymous with “Made in Italy” quality

AGREX – a dynamic, continually expanding Italian company – designs, manufactures and sells agricultural machinery all over the world.

Unfailingly oriented towards consistent improvement and total customer satisfaction, AGREX has invested in its production, technical and commercial areas while always focusing on optimizing its technology.

In more than 45 years of activity, we have achieved a prominent position among leading companies on both the domestic and international markets, through our boundless inventiveness, and dedication to quality.

Over the last few years, we have embraced lean manufacturing production methods to reach almost zero manufacturing defects while reducing waste. Our quality standards have improved considerably and given our products the plus to distinguish them on the world market.

Our quality is guaranteed! We only use prime supplier materials that are reliable, certified and carefully sourced. The excellence of AGREX is further confirmed by the in-house quality testing carried out before delivery and by meticulous organization of servicing and maintenance.

Our customers – from all over the world – run small and large firms, producing a range of agricultural products under varying climatic conditions, and typically remain loyal to AGREX products over the years.



Certified manufacturing system: ISO 9001:2008



Cost reduction

Thanks to lean manufacturing production techniques and to the continual improvement of our Kaizen department, we can guarantee our clients high quality and competitive strength.

Our advantages:

- Reduced maintenance costs
- Better distribution of fertilizer
- Less waste
- Smaller environmental impact



Environment and Ecology

Respect for the environment is a priority issue for the farming sector, both for agricultural machinery manufacturers and their users. It is for this very reason that when we design our machinery we very carefully select the materials, lubricants and paint which will be employed in the manufacturing processes. We adopt long-lasting, robust materials which, at the end of the machine's life cycle, must be disposed of in accordance with the strictest, relevant environmental waste disposal regulations.



After-sales customer service

48-hour Fast Service. An important part of our philosophy – of our pride and joy – is AGREX customer service, invariably ready to meet all of our customer requirements promptly. The consultancy and advice we provide both improve the reliability of our systems and increase customer productivity. Our qualified staff are trained to provide competent information over the telephone, or via fax or e-mail.



Turn-key delivery

We invest daily to perfect AGREX product delivery. All our machinery is designed to be easily assembled and disassembled and so to be stowed away occupying minimum space. Our packing has also been carefully studied to guarantee total product protection even when they have to be transferred from one means of transport to another or when subject to lengthy layovers. Our AGREX logistics department is at complete customer disposal for guaranteed fast and safe worldwide transport.

XDA

Small dimensions, big performance
Working width up to 18 m



Double hydraulic double-acting control



The XDA fertilizer spreaders are compact and light and can be pulled by low-power tractors. However, they have the same sturdiness and high precision as large agricultural machinery. One of their distinctive features is quantity control through a setting gauge which guarantees accurate fertilizer distribution. If necessary, it is possible to adjust the quantities being fed onto the 2 spreading discs.



Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Width (cm)	Height (cm)
XDA 500	500	1500	167	111	143	98
XDA 750	750	1500	192	111	143	120

All models are equipped with: Manual flow control – Stainless steel standard filtering grids – PTO shaft – Rear guard – Stainless steel discs – LONG LIFE vanes for spreading up to 12 - 18 m – Vanes quick adjustment – Fast lubrication system of the transmission

OPTIONALS: Double acting hydraulic control – Double hydraulic double-acting control – Stainless steel dual fertilizer conveyor

FERTILIZER SPREADERS

Professional product range



www.agrex.com

Professional fertilizer spreader range

Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Width (cm) (*)	Height (cm)	Tractor Power (HP)
VIGNE 500	500	1500	168	111	116	98	50
VIGNE 750	750	1500	193	111	116	120	80
XDA 500	500	1500	167	111	143	98	50
XDA 750	750	1500	192	111	143	120	80
TVX 800	800	1450	180	115	200	105	80
TVX 1125	1125	1450	212	115	200	117	80
TVX 1450	1450	1450	228	115	200	133	90 - 100
FERTI FERTI-S 1500	1500	3800	400	146	235	123	90 - 100
FERTI FERTI-S 2150	2150	3800	435	146	235	146	140
FERTI FERTI-S 2400	2400	3800	460	146	280	155	140
FERTI FERTI-S 2800	2800	3800	470	146	235	166	160
FERTI FERTI-S 3200	3200	3800	475	146	280	170	180
FERTI-W 1500	1500	3800	510	165	235	123	90 - 100
FERTI-W 2150	2150	3800	545	165	235	146	140
FERTI-W 2400	2400	3800	570	165	280	155	140
FERTI-W 2800	2800	3800	580	165	235	166	160
FERTI-W 3200	3200	3800	585	165	280	170	180
MAXI 4000	3,5 m ³	6000 (**)	1540	473	220 - 238	196	110
MAXI 6000	5 m ³	6000 (**)	1610	473	220 - 238	223	110
MAXI-T 4000	3,5 m ³	4240 (**)	1500	470	190	225	110
MAXI-T 6000	5 m ³	4240 (**)	1580	470	190	252	110

(*) Overall width (safety protections included)

(**) Maximum allowable load is net product weight + empty machine weight for the model with standard tyres





Trade fairs and events

We take part in numerous trade fairs and events throughout the world. Also on these occasions we are delighted to furnish you with thorough and tailored advice and information about our entire machinery range. We are proud to be found in specialist magazines of the sector. Have a look at our schedule on our website www.agrex.com and come and visit us.

It will be a pleasure to meet you in the very near future!



Quick and safe dispatches

All our machines are designed to be easily transported by TIR trucks and containers. Our packaging has been studied to guarantee that the components reach their destination intact, even when they have to be transferred from one means of transport to another or are subject to lengthy layovers. Our AGREX logistics department is at your complete disposal for guaranteed fast and safe worldwide transport.

The technical data and pictures are intended as indications only. AGREX – in its endeavor to supply an innovative product that is ever more in line with its clients' requirements – reserves the right to update its products at any time without any obligation to issue any prior notice.

Area agent:

AGREX S.p.A.

Via Balla, 55-57

35010 – Villafranca Padovana (PD) – ITALY

Tel. | +39 049 50 00 000

Fax | +39 049 90 75 524

email | info@agrex.com



www.agrex.com