


# :: FERTILIZER SPREADERS

Professional Product Range



High Performance For Professionals



## Synonymous with “Made in Italy” quality

AGREX – a dynamic, continually expanding Italian company – designs, manufactures and sells agricultural machinery all over the world.

Unfailingly oriented towards consistent improvement and total customer satisfaction, AGREX has invested in its production, technical and commercial areas while always focusing on optimizing its technology.

In more than 45 years of activity, we have achieved a prominent position among leading companies on both the domestic and international markets, through our boundless inventiveness, and dedication to quality.

Over the last few years, we have embraced lean manufacturing production methods to reach almost zero manufacturing defects while reducing waste. Our quality standards have improved considerably and given our products the plus to distinguish them on the world market.

Our quality is guaranteed! We only use prime supplier materials that are reliable, certified and carefully sourced. The excellence of AGREX is further confirmed by the in-house quality testing carried out before delivery and by meticulous organization of servicing and maintenance.

Our customers – from all over the world – run small and large firms, producing a range of agricultural products under varying climatic conditions, and typically remain loyal to AGREX products over the years.



Certified manufacturing system: ISO 9001:2008



## Cost reduction

Thanks to lean manufacturing production techniques and to the continual improvement of our Kaizen department, we can guarantee our clients high quality and competitive strength.

Our advantages:

- Reduced maintenance costs;
- Better distribution of fertilizer;
- Less waste;
- Smaller environmental impact.



## Environment and Ecology

Respect for the environment is a priority issue for the farming sector, both for agricultural machinery manufacturers and their users. It is for this very reason that when we design our machinery we very carefully select the materials, lubricants and paint which will be employed in the manufacturing processes. We adopt long-lasting, robust materials which, at the end of the machine's life cycle, must be disposed of in accordance with the strictest, relevant environmental waste disposal regulations.



## Printed on environmentally friendly recycled paper



This catalogue is printed on environmentally-friendly recycled paper that can be recycled yet again and which has a low environmental impact.

AGREX, an international company, is aware of the impact its own activity has on the environment, on local communities and on its Clients with whom it operates.

This brings the company to place its own social and environmental responsibility at the forefront and to ensure that its own long-term development is sustainable, in accordance with the values and the expectations of the Company, its Clients and its in accordance with the company and our customers. With this challenge in mind, this catalogue also respects the low environmental impact philosophy wished for by AGREX.



### After-sales customer service

*48-hour Fast Service.* An important part of our philosophy – of our pride and joy – is AGREX customer service, invariably ready to meet all of our customer requirements promptly. The consultancy and advice we provide both improve the reliability of our systems and increase customer productivity. Our qualified staff are trained to provide competent information over the telephone, or via fax or e-mail.



### Turn-key delivery

We invest daily to perfect AGREX product delivery. All our machinery is designed to be easily assembled and disassembled and so to be stowed away occupying minimum space. Our packing has also been carefully studied to guarantee total product protection even when they have to be transferred from one means of transport to another or when subject to lengthy layovers. Our AGREX logistics department is at complete customer disposal for guaranteed fast and safe worldwide transport.



# XPS

Compact strength

Spreading width up to 24\* m


\*with set of vanes for 24 m spreading width




www.agrex.com



The XPS fertilizer spreaders are excellent for full-field distribution, even on small and medium-sized unlevel fields. By adding hopper extensions, to the 800 liter model, 1000, 1200 and 1500 liter capacities can be obtained. All models are supplied with standard filtering grids to prevent any lumps of fertilizer from blocking the gates and compromising quantity accuracy and spreading uniformity. The charts supplied with the machine enable the operator to regulate the working width and the fertilizer load for spreading widths of up to 24 m.




Spreading width: 12 m  
Fertilizer: NS 24 - 7




Variation coefficient: 6,2  
Quantity: 120 kg/ha

Spreading width: 18 m  
Fertilizer: NPK 18 - 4 - 14



Variation coefficient: 8,25  
Quantity: 150 kg/ha

Spreading width: 24 m  
Fertilizer: Ammonium sulphate



Variation coefficient: 7,89  
Quantity: 270 kg/ha

Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Hopper width (cm)	Height (cm)
XPS 800	800	1200	200	111	158	103
XPS 1000	1000	1200	220	111	158	118
XPS 1200	1200	1200	240	111	158	133
XPS 1500	1500	1200	246	125	202	137

**All models are equipped with:** Manual flow control – Standard filtering grids – PTO shaft – Rear guard – Stainless steel discs – Stainless steel vanes for spreading up to 18 m – Vanes quick adjustment – Fast lubrication system of the transmission

**OPTIONALS:** Double acting hydraulic control – Dual fertilizer conveyor – Mobile focuser



## Professional Product Range

Models	Capacity (l)	Maximum load (kg)	Weight (kg)	Length (cm)	Hopper width (cm)**	Height (cm)	Tractor Power (HP)
XDA 500	500	600	160	111	143	98	50
XDA 750	750	600	175	111	143	120	80
XPS 800	800	1.200	200	111	158	103	80
XPS 1000	1.000	1.200	220	111	158	118	80
XPS 1200	1.200	1.200	240	111	158	133	80
XPS 1500	1.500	1.200	246	125	202	137	120
XDI 1500	1.500	3.000	335	142	232	117	130
XDI 2000	2.000	3.000	360	151	242	130	130
XDI 3000	3.000	3.000	405	151	242	155	180
KYLO 1500	1.500	3.000	490	142	242	117	130
KYLO 2000	2.000	3.000	490	151	242	130	130
KYLO 3000	3.000	3.000	510	151	242	155	180
MAXI 4000	3,5 m <sup>3</sup>	6.000 (*)	1.540	473	220 - 238	196	110
MAXI 6000	5,0 m <sup>3</sup>	6.000 (*)	1.610	473	220 - 238	225	110
MAXI 4000T	3,5 m <sup>3</sup>	4.240 (*)	1.500	470	190	225	110
MAXI 6000T	5,0 m <sup>3</sup>	4.240 (*)	1.580	470	190	252	110

(\*) Maximum load is the total mass allowable [net weight of the product + weight of the empty machine] of the model with standard tires

(\*\*) Overall width (safety protections included)







### Trade fairs and events

We take part in numerous trade fairs and events throughout the world. Also on these occasions we are delighted to furnish you with thorough and tailored advice and information about our entire machinery range. We are proud to be found in specialist magazines of the sector. Have a look at our schedule on our website [www.agrex.com](http://www.agrex.com) and come and visit us. It will be a pleasure to meet you in the very near future!



### Quick and safe dispatches

All our machines are designed to be easily transported by TIR trucks and containers. Our packaging has been studied to guarantee that the components reach their destination intact, even when they have to be transferred from one means of transport to another or are subject to lengthy layovers. Our AGREX logistics department is at your complete disposal for guaranteed fast and safe worldwide transport.

*The technical data and pictures are intended as indications only. AGREX – in its endeavor to supply an innovative product that is ever more in line with its clients' requirements – reserves the right to update its products at any time without any obligation to issue any prior notice.*



Area agent:

### AGREX S.p.A.

Via Balla, 55-57  
35010 – Villafranca padovana (PD) – ITALY  
Tel. +39 049.50.00.000  
Fax +39 049.90.75.524  
email: [info@agrex.com](mailto:info@agrex.com)  
[www.agrex.com](http://www.agrex.com)



[www.agrex.com](http://www.agrex.com)